DATE: 20 Dec 01

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN) of the

AN/TPS-63B Control Unit CCA NSN 5999-01-357-6109

SOW-04-C4I-8E891B-2/1

1. This SOW identifies the work effort that shall be performed by the contractor to IROAN the AN/TPS-63B Control Unit Circuit Card Assembly (CCA), NSN 5999-01-357-6109, part number 1D24329G02, CAGE 97942.

2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E. HERNDON

Logistics Management Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

RICHARD E. JONES

Team Leader

Equipment Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

STATEMENT OF WORK (SOW)

for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-63B
Control Unit CCA
NSN 5999-01-357-6109

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor to IROAN the AN/TPS-63B Control Unit Circuit Card Assembly (CCA), NSN 5999-01-357-6109, part number 1D24329G02, CAGE 97942. This document contains requirements to restore the Control Unit CCA to Condition Code "A." Condition Code "A" is defined as "Serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-2073-ID DOD Standard Practice for Military Packaging MIL-STD-129 DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

1D24329, CAGE 97942 Engineering Drawing, Control Unit, CCA

1D24329, CAGE 97942 Parts List, Control Unit, CCA

648A461, CAGE 97942 Test Specification for Control Unit 1D24329

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 <u>Industry Standards</u>

ANSI/ISO/ASQC O9003-1994 Quality Systems - Model for Quality Assurance in Final

Inspection and Test

JESD625-A

Requirements for Handling Electrostatic-Discharge Sensitive (ESDS) Devices

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697- 2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

3.1 The contractor shall repair the Control Unit CCA strictly in accordance with the requirements as specified in Engineering Drawing 1D24329 and Parts List 1D24329, CAGE 97942. Testing shall be conducted in accordance with Test Specification 648A461, CAGE 97942, and the test results shall be documented in a Test Data Report (TDR). The contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "GX". Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements. This item is subject to Electrostatic Sensitivity and shall be packed into a reusable fast-pack container.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use

requirement, shall be identified, in writing, by the Logistics Management Specialist (MCSC, Code BMADS, Albany, Georgia).

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the contractor with the shipping address(es) for, and delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.5 <u>Electrostatic Discharge (ESD) Control Program</u>. The contractor shall establish, implement, and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions. The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- 4.0 Reports. The contractor shall develop a Test Data Report (TDR) in contractor format, referencing this SOW, the NSN, part number, and serial number of the Control Unit CCA. The TDR shall reference the specific paragraph of the Test Requirement 648A461, CAGE 97942, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, the contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS). Electronic address is herndonle@matcom.usmc.mil. Mailing address is: Commander, Marine Corps Systems

3

Command, Attn: Logistics Management Specialist, Code BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. Facsimiles may be sent to (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, Code BMADS.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The publis generating burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. issted in Block £.

A. CONTRACT LINE ITEM NO. D. SYSTEM/ITEM		B. EXHIBIT E. CONTRACT/PR		C. CATEGORY:	ATUER	ER X					
					F. CONTRACTOR						
	trol Unit CCA		2. 00,211,111,101,71								
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				J. SUBTITLE						
A001	Engine	erina Ch	ange Proposa		Configuration Ma	nageme	ent				
4. AUTHORITY (Data Acquisi	,	ering Ci	5. CONTRACT REFERE			Configuration Management					
	CMAN-80639C			SOW 3.3		MCLBA	A (583))	l		
	9. DIST STATEMENT REQUIRED	10. FREQUENC				It. DISTRIBUTION					
LT			SREQ	See Blk 1	6		b. COPIES				
8. APP CODE A	Α	11. AS OF DAT	íE	SUBMISSION		a. Addressee		Oraft Reg Repro			
16. REMARKS		1.	16	4:4		MCLBA (583-1)	0	1	0		
		-		mat is authorized.							
Blks 10 & 12 - permanently af	ECPs shall be su fect the baseline of	bmitted for	or all propose guration item	ed changes which							
			=		s upon						
ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14: ECPs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil											
Distribution Statement A: Approved for Public Release; Distribution is Unlimited.											
Unlimited.	11			,				_			
									\vdash		
							ļ				
						-					
							 				
C DDECASTORY			Ti pres	1	w	15. TOTAL	0	1	0		
G. PREPARED BY	a Mark	/	H. DATE	I. APPROVED B	γ	Ho !	J. DATE	1			
OD FORM 1423-1	, AUG 96 (EG)			REVIOUS EDITION MAY BE	USED.	yeurs.	Page	_ of _	_ Pages		

17. PRICE GROUP 18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public growing burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suits 1204, Arfington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of lew, no person shall be subject to any personsty for failing to comply with a collection of information information in formation in first the Soverment Issuing Contracting Officer for the Contractiff No. Ested in Block E.

A. CONTRACT LINE ITE	M NO.	B. EXHIBIT	C. CATEGORY:	TM OTHE	, ×					
D. SYSTEM/ITEM		E. CONTR	E. CONTRACT/PR NO.		F. CONTRACTOR					
Contr	ol Unit CCA									
DATA ITEM NO. 2.	. TITLE OF DATA ITEM			3. SUBTITLE				1		
A002		Request For Dev	viation		Configuration Ma	nageme	ent			
. AUTHORITY (Data Acquisition	Document No.)		T REFERENCE		8. REQUIRING OFFICE					
	MAN-80640C		SOW 3.3		MCLB	A (583))			
	DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ	12. DATE OF FIRST \$		14. DISTRIBUTION	1		·····		
LT APP CODE	11. AS OF DA		<u> </u>		40000000		b. COPIES			
A	Α	II. AS OF BAIL	SUBMISSION		a. ADDRESSEE	Draft	Reg	Repro		
REMARKS	or formet autori		oc format is author		MCLBA (583-1)	0	<u> </u>	0		
lks 10 & 12 - R onconforming nocumentation.	RFDs shall be sunaterial which of	ibmitted to obtain loes not meet pres	authorization to described configuration	eliver on						
			d within 30 calenda							
			o the following add							
-			elease; Distribution							
Inlimited.			, Didiration			4	ļ	 		
							 	+		
						+		\vdash		
						1		\Box		
						 	ļ	\square		
						1	-	\vdash		
						1	 	$\vdash \vdash \vdash$		
						1		$\vdash\vdash$		
							-			
					_	<u> </u>				
							<u> </u>			
							 	Ш		
						1				
						_	<u> </u>	\sqcup		
						ļ	ļ	\sqcup		
										
					<u> </u>	1	<u> </u>	\vdash		
						 	 			
•						-		$\vdash \vdash$		
					15 TOTAL	 				
. PANEPARED BY		H. DAT	E I. APPRO	IVEN RY	15. TOTAL	J. DAT	<u> </u>	0		
ands	C Mai	B KN	WOI	£. /	He le	// (22		
P FORM 1423-1	AUG 96 (EG)	- 	PREVIOUS EDITION W	MAY BE USED.		Page	of	Pages		